

## 和文索引

## あ

悪性転化 163  
 悪性転化を伴う成熟奇形腫 165  
 アクチノマイシンD 41, 42  
 アンドロゲン 181

## い

移行上皮癌 50  
 維持化学療法 40, 98  
 遺伝性乳癌卵巣癌 (HBOC) 51, 68  
 遺伝性乳癌卵巣癌 (HBOC) の一次  
 検査基準 52  
 イホスファミド 41, 174  
 イリノテカン 133  
 イリノテカン+シスプラチン療法 53, 88  
 インビビンB 187

## え

エストラジオール 187  
 エストロゲン 49, 117, 118, 150, 181  
 エトポシド 41, 100, 133, 170, 174,  
 177  
 エビデンスの質評価基準 (レベル) 47

## お

嘔気 102, 103, 111, 144, 145  
 オキサリプラチン, カペシタビン  
 併用療法 89  
 オクトレオチド 144, 145  
 オラパリブ 107, 136

## か

化学療法 40, 51  
 化学療法感受性 131  
 過敏性反応 (HSR) 102  
 顆粒膜細胞腫 181, 187  
 カルボプラチン 40, 41, 78, 102  
 癌性腹膜炎 101, 145, 149

患側付属器摘出術 65, 124, 167,  
 183

緩和ケア 42

## く

グレード 47

## き

奇形腫 163, 164, 165, 167  
 ギナンドロプラストーマ 181  
 基本術式 39

## け

経過観察 111, 129, 177  
 経過観察の間隔 109  
 経口避妊薬 178  
 血清腹水アルブミン勾配 145  
 ゲムシタビン 40, 100, 133  
 下痢 102, 103  
 原発性腹膜癌 148, 150

## こ

交差耐性 133  
 抗ミューラー管ホルモン 187  
 高齢者に対する化学療法 80  
 高齢者に対する手術術式 60  
 骨髄抑制 79, 102, 103, 106, 171  
 骨盤・傍大動脈リンパ節郭清 (生検)  
 56, 159, 167, 183  
 コルチコステロイド 144, 145  
 混合性胚細胞腫瘍 163

## さ

最大限の腫瘍減量術 (debulking  
 surgery) 59, 154, 159, 167  
 再発卵巣癌 130  
 再発卵巣癌の化学療法 133, 137

## し

子宮全摘出術 56, 124, 159, 167,  
 183  
 子宮内膜癌 182  
 子宮内膜増殖症 182

シクロホスファミド 42  
 試験開腹術 39  
 シスプラチン 41, 42, 51, 82, 170,  
 174

絨毛癌 163, 164

手術術式 39

手術進行期分類 25

手術療法 50

術前化学療法 (NAC) 40, 50, 95,  
 149, 156

術中迅速病理検査 73

腫瘍減量術 39

腫瘍マーカー 112, 116, 164, 165,  
 187

漿液性境界悪性腫瘍 120

漿液性腺癌 49, 148

消化器症状 102

上皮性境界悪性腫瘍 119, 122

静脈血栓塞栓症 51

初回化学療法 40

所属リンパ節 28, 29

進行期分類 25

進行卵巣癌 59, 63, 95

浸潤性 (腹膜) インプラント 120,  
 121, 122, 125, 127, 129

## す

推奨の基準 (グレード) 47  
 水様性帯下 150  
 ステロイド細胞腫瘍 181

## せ

性索間質性腫瘍 181  
 精巣胚細胞腫瘍 170, 171, 174, 177  
 セルトリ・間質細胞腫瘍 181, 182,  
 186  
 線維肉腫 181

## そ

早期治療介入 115  
 組織学的分類 30

## た

胎芽性癌 163  
 体細胞型悪性腫瘍 165  
 大網切除術 56, 65, 124, 159, 167, 183  
 大量化学療法 171, 174  
 多胎芽腫 163  
 脱感作療法 102, 103

## ち

虫垂 57, 59, 75, 124, 164  
 中分化型セルトリ・間質細胞腫瘍 181  
 腸型粘液性境界悪性腫瘍 121  
 腸管 56, 107, 140, 144, 145, 149  
 腸管穿孔 92  
 腸管部分切除 59, 60, 154  
 腸閉塞 144

## て

デイスジャーミノーマ 163, 164, 167  
 低分化型セルトリ・間質細胞腫瘍 181  
 テムシロリムス 88

## と

投与量の減量基準 79  
 ドセタキセル 40, 82, 100, 102, 133  
 トボテカン 98, 100, 133, 157  
 トラベクテジン 130, 136  
 トレバニブ (AMG386) 107

## な

内頸部様粘液性境界悪性腫瘍 121

## に

二次化学療法 40  
 二次性白血病 171, 178  
 二次発がん 177  
 日産婦2014 26  
 妊孕性温存 65, 124, 167, 177, 183

## ね

粘液性境界悪性腫瘍 121  
 粘液性腺癌 49

## の

脳転移 142  
 ノギテカン 98, 100, 133, 157

## は

パクリタキセル 40, 41, 52, 78, 100, 102, 133, 174  
 パゾパニブ 107  
 白血病 177  
 発熱性好中球減少 102, 103, 106, 170

## ひ

微小浸潤 119, 120  
 被膜破綻 70, 85, 164, 181  
 表層上皮性・間質性境界悪性卵巣腫瘍 119  
 病理組織型 49  
 ビンクリスチン 41, 42  
 ビンプラスチン 41, 42, 174

## ふ

腹腔鏡下手術 70  
 腹腔細胞診 56, 65, 124, 159, 167, 183  
 腹腔静脈シャント 144, 145  
 腹腔内化学療法 (IP療法) 91, 157  
 腹腔内各所の生検 56, 65, 159, 167, 183  
 腹腔内精査 20, 124, 167, 183  
 腹水貯留 144  
 腹水ドレナージ 144  
 腹水濾過濃縮再静注法 (CART) 144, 145  
 腹膜インプラント 120, 121, 125, 127, 129  
 腹膜癌 148  
 婦人科悪性腫瘍研究機構 (JGOG) 52  
 プチルスコボラミン 145  
 プラチナ製剤感受性 130, 137  
 プラチナ製剤抵抗性 130, 137  
 プラチナ製剤不応性 100  
 プラチナ製剤部分感受性 136  
 プレオマイシン 41, 42, 170  
 プレオマイシンの肺毒性 171  
 分子標的治療薬 53, 105, 130

## へ

米国国立衛生研究所 (NIH) 111  
 ベバシズマブ 53, 89, 92, 100, 105, 106, 130, 133, 136, 157, 162

## ほ

放射線治療 142, 172, 185  
 ホルモン補充療法 (HRT) 69, 117

## み

未熟奇形腫 163, 164

## む

無月経 178

## め

明細胞腺癌 49

## ゆ

有害事象 102, 106

## ら

卵黄囊腫瘍 163, 164  
 卵管癌 150  
 卵管上皮内癌 148  
 卵巣がん 45  
 卵巣癌 45, 49  
 卵巣癌の grade 50  
 卵巣機能 178  
 卵巣腫瘍取扱い規約 30  
 卵巣毒性 177, 178  
 卵巣胚細胞腫瘍 163

## り

リポソーム化ドキシソルビシン 40, 82, 100, 103, 133, 137  
 両側付属器摘出術 56, 124, 159, 167, 183  
 リンパ節病変 121, 124

## れ

レベル 47

## ろ

ロペラミド 103

## 欧文索引

**A**

ACTION 78, 84  
 AFP 164, 165  
 After-6 98  
 AGO 78  
 AGO-GINECO 98  
 AMH 187  
 ASA physical status classification system 61

**B**

BEP療法 41, 163, 170, 177, 185  
 best supportive care (BSC) 100  
*BRCA1/2*遺伝子 68

**C**

CA125 112, 115  
 CA19-9 116, 165  
 Calvert式 79  
 CALYPSO 103, 136, 137  
 CAP療法 82  
 carcinoma of LMP 120  
 CEA 116, 165  
 cell-free and concentrated ascites reinfusion therapy (CART) 144, 145  
 CHORUS 96  
 Cockcroft式 79  
 complete surgery 39, 50, 59  
 consolidation chemotherapy 40  
 CP療法 82, 88  
 CPT-P療法 88  
 cytoreduction 39

**D**

DC療法 40, 82, 156  
 debulking 39  
 debulking surgery 39, 154, 159  
 Denver シェント 145  
 disease control rate (DCR) 100  
 disease free interval (DFI) 131, 133, 136, 139

dose-dense TC療法 40, 52, 78, 156, 161

**E**

endocervical-like type 121  
 EORTC-GCG 63  
 EORTC55971/NCIC OV13 96  
 ESMO ガイドライン 109  
 exploratory laparotomy 39

**F**

FIGO 1988 25  
 FIGO 2014 26  
 first-line chemotherapy 40

**G**

GC療法 40, 136  
 GCIG/JGOG3017 53, 88  
 G-CSF 製剤 103  
 GnRH アナログ 178  
 GOG78 171  
 GOG111 78  
 GOG114/SWOG9227 91  
 GOG152 63  
 GOG157 78  
 GOG158 78  
 GOG172 91  
 GOG178 98  
 GOG182 52, 78  
 GOG212 99  
 GOG218 105, 106  
 GOG252 92  
 GOTIC001/JGOG3019 92  
 grade 50  
 growing teratoma syndrome (GTS) 165

**H**

hCG 164, 165  
 hereditary breast and ovarian cancer (HBOC) 51, 52, 68  
 high-grade serous carcinoma 49

hormone replacement therapy (HRT) 69, 117  
 hypersensitivity reaction (HSR) 102

**I**

ICON1 78, 84  
 ICON3 82  
 ICON4/OVAR 2.2 137  
 ICON7 105  
 interval debulking surgery (IDS) 39, 50, 63, 76, 95, 159  
 intestinal type 121  
 intraperitoneal chemotherapy (IP療法) 91, 157

**J**

Jelliffe式 79  
 JGOG3014 88  
 JGOG3016 52, 78, 79, 156, 161  
 JGOG3020 85

**L**

LDH 164  
 low-grade serous adenocarcinoma 49  
 low malignant potential (LMP) 120  
 lymph node involvement 124

**M**

maintenance chemotherapy 40  
 malignant bowel obstruction (MBO) 144  
 MITO-1 98  
 MITO-2 82  
 MRC OV5/EORTC55955 115  
 mTOR 88

**N**

NAC+IDS 95  
 National Institutes of Health (NIH) 111

NCCNガイドライン 52, 69, 70, 76,  
85, 100, 109, 111, 112, 127, 129,  
139, 159, 161, 171, 174, 186  
NCIC OV21/GCIG 92  
neoadjuvant chemotherapy  
(NAC) 40, 50, 95, 149, 156  
NIH consensus statement 111

**O**

OCEANS 136, 137  
optimal surgery 39, 59, 91, 95  
OV-10 78  
OVA-301 137  
OVAR25 137

**P**

PEACE 43  
Performance Status (PS) 60  
PET/CT 39, 111, 112  
platinum free interval (PFI) 131  
platinum refractory 100  
PLD-C療法 40, 82, 136  
population-based study 119

primary debulking surgery (PDS)  
39, 50, 59, 63, 92, 95, 96, 156  
PVB療法 42, 177, 185

**R**

risk-reducing salpingo-oophorec-  
tomy (RRSO) 51, 68

**S**

S-1 89  
salvage chemotherapy 40  
SCC 164, 165  
SCOTROC1 82  
secondary debulking surgery  
(SDS) 39, 130, 139, 165, 174  
second-line chemotherapy 40  
SEER 52, 119, 124, 163, 182, 183  
short-course premedication 102  
Southwest Oncology Group  
(SWOG) 98  
staging laparotomy 39, 56, 65,  
75, 84, 122, 124, 183  
suboptimal surgery 39, 59, 63  
SWOG8501/GOG104 91

**T**

TC療法 136  
TC療法 (conventional TC療法)  
40, 52, 78, 92, 105, 156, 161, 178  
TIP療法 41, 174  
TNM分類 27  
Total Pain 42  
TP療法 78, 162  
treatment free interval (TFI)  
130, 131  
tumor of borderline malignancy  
119, 120  
tumor of LMP 120

**V**

VA(C)療法 41  
VAC療法 42, 170, 177  
VeIP療法 41, 174  
VIP療法 41, 171, 174

**W**

WHO Classification of tumours  
of the ovary 2014 36